

LA 96

TYPE

Laser

EDGE

Segmented

APPLICATION

High-performance diamond blades for asphalt, concrete slabs, concrete paving

QUALITY

available in Professional (P) or Standard (S)

SAFETY SIGNS



DIMENSIONS MM	DIMENSIONS INCH	MAX SPEED	MAX RPM	SEGMENT NO.	SEGMENT THICKNESS	SEGMENT HEIGHT	QUALITY
230 x 20	9 x 3/4	80 m/s	6,650	16	2,5	7	S
230 x 20	9 x 3/4	80 m/s	6,650	16	2,5	7	P
230 x 22	9 x 7/8	80 m/s	6,650	16	2,5	7	S
230 x 22	9 x 7/8	80 m/s	6,650	16	2,5	7	P
230 x 22	9 x 7/8	80 m/s	6,650	16	2,5	8	S
230 x 22	9 x 7/8	80 m/s	6,650	16	2,5	8	P
230 x 22	9 x 7/8	80 m/s	6,650	16	2,5	10	S
230 x 22	9 x 7/8	80 m/s	6,650	16	2,5	10	P
250 x 25.4	10 x 1	100 m/s	7,650	17	2,5	7	S
250 x 25.4	10 x 1	100 m/s	7,650	17	2,5	7	P
250 x 25.4	10 x 1	100 m/s	7,650	17	2,5	8	S
250 x 25.4	10 x 1	100 m/s	7,650	17	2,5	8	P
250 x 25.4	10 x 1	100 m/s	7,650	17	2,5	10	S
250 x 25.4	10 x 1	100 m/s	7,650	17	2,5	10	P
300 x 20	12 x 3/4	100 m/s	6,400	20	2,8	7	S
300 x 20	12 x 3/4	100 m/s	6,400	20	2,8	7	P
300 x 22	12 x 7/8	100 m/s	6,400	20	2,8	7	S
300 x 22	12 x 7/8	100 m/s	6,400	20	2,8	7	P
300 x 25.4	12 x 1	100 m/s	6,400	20	2,8	7	S
300 x 25.4	12 x 1	100 m/s	6,400	20	2,8	7	P
300 x 30	12 x 1 3/16	100 m/s	6,400	20	2,8	7	S
300 x 30	12 x 1 3/16	100 m/s	6,400	20	2,8	7	P
300 x 25.4	12 x 1	100 m/s	6,400	20	2,8	8	S
300 x 25.4	12 x 1	100 m/s	6,400	20	2,8	8	P
300 x 25.4	12 x 1	100 m/s	6,400	20	2,8	10	S

For more information please scan this code with your QR Code Reader.



KEDAS[®] Professional Technology Development

THE EXPERTS FOR HIGH QUALITY CUTTING AND GRINDING DISCS



LA 96

TYPE

Laser

EDGE

Segmented

APPLICATION

High-performance diamond blades for asphalt, concrete slabs, concrete paving

QUALITY

available in Professional (P) or Standard (S)

SAFETY SIGNS



DIMENSIONS MM	DIMENSIONS INCH	MAX SPEED	MAX RPM	SEGMENT NO.	SEGMENT THICKNESS	SEGMENT HEIGHT	QUALITY
300 x 25.4	12 x 1	100 m/s	6,400	20	2,8	10	P
350 x 22	14 x 7/8	100 m/s	5,500	24	2,8	7	S
350 x 22	14 x 7/8	100 m/s	5,500	24	2,8	7	P
350 x 25.4	14 x 1	100 m/s	5,500	24	2,8	7	S
350 x 25.4	14 x 1	100 m/s	5,500	24	2,8	7	P
350 x 25.4	14 x 1	100 m/s	5,500	24	2,8	7	S
350 x 25.4	14 x 1	100 m/s	5,500	24	2,8	8	S
350 x 25.4	14 x 1	100 m/s	5,500	24	2,8	8	P
350 x 50	14 x 2	100 m/s	5,500	24	2,8	10	S
350 x 50	14 x 2	100 m/s	5,500	24	2,8	10	P
400 x 25.4	16 x 1	100 m/s	4,800	28	3,2	7	S
400 x 25.4	16 x 1	100 m/s	4,800	28	3,2	7	P
400 x 28.6	16 x 1 1/8	100 m/s	4,800	28	3,2	7	S
400 x 28.6	16 x 1 1/8	100 m/s	4,800	28	3,2	7	P
400 x 25.4	16 x 1	100 m/s	4,800	28	3,2	8	S
400 x 25.4	16 x 1	100 m/s	4,800	28	3,2	8	P
400 x 50	16 x 2	100 m/s	4,800	28	3,2	10	S
400 x 50	16 x 2	100 m/s	4,800	28	3,2	10	P
450 x 25.4	18 x 1	100 m/s	4,250	32	3,2	7	S
450 x 25.4	18 x 1	100 m/s	4,250	32	3,2	7	P
450 x 25.4	18 x 1	100 m/s	4,250	32	3,2	8	S
450 x 25.4	18 x 1	100 m/s	4,250	32	3,2	8	P
450 x 50	18 x 2	100 m/s	4,250	32	3,2	10	S
450 x 50	18 x 2	100 m/s	4,250	32	3,2	10	P

For more information please scan this code with your QR Code Reader.



KEDAS[®] Professional Technology Development

THE EXPERTS FOR HIGH QUALITY CUTTING AND GRINDING DISCS

