

# TW 22

## TYPE

Sintered

## EDGE

Closed

## APPLICATION

High-performance diamond blades for concrete, brick, ceramic and slate

## QUALITY

available in Professional (P) or Standard (S)

## SAFETY SIGNS



| DIMENSIONS MM | DIMENSIONS INCH | MAX SPEED | MAX RPM | SEGMENT NO. | SEGMENT THICKNESS | SEGMENT HEIGHT | QUALITY |
|---------------|-----------------|-----------|---------|-------------|-------------------|----------------|---------|
| 100 x 16      | 4 x 5/8         | 80 m/s    | 15,300  | CR          | 2,6               | 7              | S       |
| 100 x 16      | 4 x 5/8         | 80 m/s    | 15,300  | CR          | 2,6               | 7              | P       |
| 100 x 16      | 4 x 5/8         | 80 m/s    | 15,300  | CR          | 2,6               | 8              | S       |
| 100 x 16      | 4 x 5/8         | 80 m/s    | 15,300  | CR          | 2,6               | 8              | P       |
| 115 x 22      | 4 1/2 x 7/8     | 80 m/s    | 13,300  | CR          | 2,6               | 7              | S       |
| 115 x 22      | 4 1/2 x 7/8     | 80 m/s    | 13,300  | CR          | 2,6               | 7              | P       |
| 115 x 22      | 4 1/2 x 7/8     | 80 m/s    | 13,300  | CR          | 2,6               | 8              | S       |
| 115 x 22      | 4 1/2 x 7/8     | 80 m/s    | 13,300  | CR          | 2,6               | 8              | P       |
| 125 x 22      | 5 x 7/8         | 80 m/s    | 12,250  | CR          | 2,6               | 7              | S       |
| 125 x 22      | 5 x 7/8         | 80 m/s    | 12,250  | CR          | 2,6               | 7              | P       |
| 125 x 22      | 5 x 7/8         | 80 m/s    | 12,250  | CR          | 2,6               | 8              | S       |
| 125 x 22      | 5 x 7/8         | 80 m/s    | 12,250  | CR          | 2,6               | 8              | P       |
| 180 x 22      | 7 x 7/8         | 80 m/s    | 8,500   | CR          | 3                 | 7              | S       |
| 180 x 22      | 7 x 7/8         | 80 m/s    | 8,500   | CR          | 3                 | 7              | P       |
| 180 x 22      | 7 x 7/8         | 80 m/s    | 8,500   | CR          | 3                 | 8              | S       |
| 180 x 22      | 7 x 7/8         | 80 m/s    | 8,500   | CR          | 3                 | 8              | P       |
| 230 x 22      | 9 x 7/8         | 80 m/s    | 6,650   | CR          | 3,1               | 7              | S       |
| 230 x 22      | 9 x 7/8         | 80 m/s    | 6,650   | CR          | 3,1               | 7              | P       |
| 230 x 22      | 9 x 7/8         | 80 m/s    | 6,650   | CR          | 3,1               | 8              | S       |
| 230 x 22      | 9 x 7/8         | 80 m/s    | 6,650   | CR          | 3,1               | 8              | P       |
| 300 x 20      | 12 x 3/4        | 100 m/s   | 6,400   | CR          | 3,1               | 7              | S       |
| 300 x 20      | 12 x 3/4        | 100 m/s   | 6,400   | CR          | 3,1               | 7              | P       |
| 300 x 22      | 12 x 7/8        | 100 m/s   | 6,400   | CR          | 3,1               | 7              | S       |
| 300 x 22      | 12 x 7/8        | 100 m/s   | 6,400   | CR          | 3,1               | 7              | P       |
| 300 x 25.4    | 12 x 1          | 100 m/s   | 6,400   | CR          | 3,1               | 7              | S       |

For more information please scan this code with your QR Code Reader.



**KEDAS**® Professional Technology Development

**THE EXPERTS FOR HIGH QUALITY CUTTING AND GRINDING DISCS**



# TW 22

## TYPE

Sintered

## EDGE

Closed

## APPLICATION

High-performance diamond blades for concrete, brick, ceramic and slate

## QUALITY

available in Professional (P) or Standard (S)

## SAFETY SIGNS



| DIMENSIONS MM | DIMENSIONS INCH | MAX SPEED | MAX RPM | SEGMENT NO. | SEGMENT THICKNESS | SEGMENT HEIGHT | QUALITY |
|---------------|-----------------|-----------|---------|-------------|-------------------|----------------|---------|
| 300 x 25.4    | 12 x 1          | 100 m/s   | 6,400   | CR          | 3,1               | 7              | P       |
| 300 x 25.4    | 12 x 1          | 100 m/s   | 6,400   | CR          | 3,1               | 8              | S       |
| 300 x 25.4    | 12 x 1          | 100 m/s   | 6,400   | CR          | 3,1               | 8              | P       |
| 350 x 25.4    | 14 x 1          | 100 m/s   | 5,500   | CR          | 3,1               | 7              | S       |
| 350 x 25.4    | 14 x 1          | 100 m/s   | 5,500   | CR          | 3,1               | 7              | P       |
| 350 x 30      | 14 x 1 3/16     | 100 m/s   | 5,500   | CR          | 3,1               | 8              | S       |
| 350 x 30      | 14 x 1 3/16     | 100 m/s   | 5,500   | CR          | 3,1               | 8              | P       |

For more information please scan this code with your QR Code Reader.



**KEDAS**<sup>®</sup> Professional Technology Development

**THE EXPERTS FOR HIGH QUALITY CUTTING AND GRINDING DISCS**

